



# TRIMCO

M I L L W O R K

---

## Moulding Pattern Book

TMDv23

## **Our Mission**

**To be the first choice supplier for our customer's millwork and finish products needs.**

**Our skilled employees, each with a desire to excel, will provide quality products at competitive prices and deliver superior service to build lasting relationships with customers and vendors.**

## **Return Policy**

### **Merchandise Returns Must Be Authorized By A Trimco Representative**

- Special orders are not subject to return.
- Damaged items are not subject to return unless noted at time of delivery.
- Cut, painted or stained items are not subject to return.
- Stock items may be returned if request is made within 30 days of purchase.
- Return merchandise to be inspected upon return to Trimco Millwork before final credit can be issued.
- 15% restocking/handling fees on returns within 30 days of Stock items with no credit allowed for crating and/or freight charges.
- NO RETURNS ALLOWED AFTER 30 DAYS.

# Contents

<b>Pine and Finger Joint Profiles.....</b>	<b>2-10</b>
<b>Oak Profiles.....</b>	<b>11-13</b>
<b>Ultralite Profiles.....</b>	<b>14-19</b>
<b>Alder Profiles.....</b>	<b>20-22</b>
<b>Hemlock Profiles.....</b>	<b>23-26</b>
<b>Moulding Accessories.....</b>	<b>27</b>
<b>Jambs and Frames.....</b>	<b>28-30</b>
<b>Shelving and MDF Sheet Stock.....</b>	<b>31</b>

DRAWINGS NOT TO SCALE



TRIMCO MILLWORK  
15000 EAST 39TH AVE.  
AURORA, COLORADO 80011  
[www.trimcomillwork.com](http://www.trimcomillwork.com)


COVES



**TM 85**  
9/16" x 1-3/4"  
SOLID PINE ONLY  
RL - 8'




**TM 93**  
3/4" x 3/4"  
SOLID PINE ONLY  
RL - 8'



**CONCAVE PROFILE:**  
USED AT CORNERS,  
PARTICULARLY AS A  
CEILING CORNICE.

SMALL COVES  
MAY BE USED  
AS AN INSIDE  
CORNER GUARD.



QUARTER ROUNDS



**TM 105**  
3/4" x 3/4"  
SOLID PINE  
RL-8'  
FJ PRIMED  
16' ONLY





**TM 108**  
1/2" x 1/2"  
SOLID PINE ONLY  
RL - 8'



**TM 109**  
3/8" x 3/8"  
SOLID PINE ONLY  
RL - 8'




**TM 110**  
1/4" x 1/4"  
SOLID PINE ONLY  
RL - 8'




**QUARTER ROUNDS** MAY BE USED  
AS A BASE SHOE, INSIDE CORNER  
MOULDING, OR TO COVER ANY  
90° RECESSED JUNCTURE.

FULL ROUNDS



**TM 233**  
1-5/16"  
FJ 16' ONLY



**FULL ROUNDS:**  
MOST OFTEN USED AS A CLOSET  
POLE OR ROOM DIVIDER.


BASE SHOES



**TM 126**  
1/2" x 3/4"  
SOLID PINE  
RL - 8'  
FJ PRIMED  
16' ONLY



**TM 188**  
1-1/4" x 1-5/8"  
SOLID PINE ONLY  
RL ONLY




**BASE SHOES:**  
APPLIED WHERE BASE MOULDING  
MEETS FLOOR. PROTECTS BASE FROM  
DAMAGE. CONCEALS UNEVEN LINES OR  
CRACKS WHERE BASE MEETS FLOOR.


SHELF EDGE/SCREEN MOULD



**TM 142**  
1/4" x 3/4"  
SOLID PINE ONLY  
RL - 8'




**SCREEN MOULD:**  
COVERS SEAM  
WHERE SCREENING  
IS FASTENED TO THE  
SCREEN FRAME.




**SHELF EDGE:**  
ALSO COVERS  
PARTICLE OR  
FLAKEBOARD  
SHELF EDGES.

CROWNS



**CROWNS:**  
USED WHERE WALLS & CEILING  
MEET. USED TO COVER LARGE  
ANGLES. ALWAYS SPRUNG.



**TM 45**  
9/16" x 5-1/4"  
FJ ONLY  
16' ONLY



**TM 47**  
9/16" X 4-5/8"  
SP-RL  
FJ PRIMED  
16' ONLY



**TM 48**  
9/16" x 4-1/4"  
SP-RL  
FJ PRIMED  
16' ONLY



**TM 49**  
9/16" x 3-5/8"  
SP-RL  
FJ PRIMED  
16' ONLY



**TM 52**  
9/16" x 2-3/4"  
SP-RL

PANEL MOULDS



**TM 186**  
7/16" x 1-1/16"  
SOLID PINE ONLY  
RL ONLY

HALF ROUNDS



**TM 120**  
1/2" x 1"  
SOLID PINE ONLY  
RL ONLY

SCREEN/S4S STOCK/SQUARE



**TM 239**  
3/4" x 3/4"  
SOLID PINE ONLY  
RL - 8'



**TM 960**  
3/8" x 2-1/4"  
SOLID PINE ONLY  
RL & 8'



**TM PB1**  
1/2" x 1-3/8"  
SOLID PINE ONLY  
RL ONLY



BOARDS

**TM 254**  
1/2" x 3/4"  
SP RL-8'  
16' ONLY

**TM 246**  
11/16" x 2-3/4"  
SP RL-8'  
FJ RAW & PRIMED  
16'

**TM 248**  
11/16" x 1-3/4"  
SP RL & 8'  
FJ RAW & PRIMED  
16'

**1 x 2**  
11/16" x 1-3/4"  
FJ PRIMED  
16' ONLY


**1 x 3**  
11/16" x 2-3/4"  
FJ PRIMED  
16' ONLY

**1 x 4**  
11/16" x 3-1/2"  
FJ RAW & PRIMED  
16' ONLY

**1 x 6**  
11/16" x 5-1/4"  
FJ RAW & PRIMED  
16' ONLY

**1 x 8**  
11/16" x 7-1/4"  
FJ RAW & PRIMED  
16' ONLY

**1 x 12**  
11/16" x 11-1/4"  
FJ PRIMED  
16' ONLY



**SCREEN/S4S STOCK:**  
SAME BASIC USES  
AS SQUARES.




**TM 546**  
1" x 5-1/2"  
FJ PRIMED ONLY  
16' ONLY

**TM 545**  
15/16" x 5-1/4"  
SOLID PINE ONLY  
RL ONLY

BRICK MOULD



**TM 180**  
1-1/4" x 2"  
FJ PRIMED 7', 17' & 18' - PRS MITERED 83-1/4"  
SP RAW RL & 7'  
PRS MITERED 83-1/4" AND 99-3/16"  
FJ PRIMED ONLY



**BRICK MOULD:**  
USED AS AN EXTERIOR DOOR AND WINDOW CASING. A THICK MOULDING PROVIDES A SURFACE FOR BRICK OR OTHER SIDING TO BUTT AGAINST.


BEDS



**TM 72**  
9/16" x 2-1/4"  
SOLID PINE ONLY  
RL ONLY



**TM 74**  
9/16" x 1-3/4"  
SOLID PINE ONLY  
RL ONLY



**BEDS:** USED WHERE WALLS & CEILING MEET. EITHER SPRUNG OR PLAIN.

PICTURE MOULDING



**TM 276**  
11/16" x 1-3/4"  
SOLID PINE ONLY  
RL ONLY

GLASS BEAD



**TM 148**  
3/8" x 3/8"  
SOLID PINE ONLY  
RL ONLY



**TM CM3**  
9/16" x 3/4"  
SOLID PINE ONLY  
RL ONLY

BASE CAPS




**TM 165**  
5/8" x 1-1/8"  
SOLID PINE ONLY  
RL ONLY




**TM 163 (PM 5)**  
11/16" x 1-3/8"  
SOLID PINE ONLY  
RL ONLY


**BASE CAPS:**  
A DECORATIVE MEMBER INSTALLED FLUSH AGAINST WALL AND THE TOP OF AN S4S BASEBOARD. ALSO A VERSATILE PANEL MOULDING.




CORNER GUARDS



**TM 204**  
1-5/16" x 1-5/16"  
SOLID PINE ONLY  
RL - 8'




**TM 205**  
1-1/16" x 1-1/16"  
SOLID PINE ONLY  
RL - 8'



**TM 206**  
3/4" x 3/4"  
SOLID PINE ONLY  
RL - 8'

**CORNER GUARDS:**  
OUTSIDE (OS) CORNER GUARD IS USED TO PROTECT CORNERS OR TO COVER RAGGED EDGE WHERE WALL COVERING AND PAINTED SURFACES MEET AT OUTSIDE CORNER.




PANEL CAP




**TM 291 (PM 6)**  
3/4" x 1-15/16"  
SOLID PINE ONLY  
RL ONLY

WAINSCOT/PLY CAP



**TM 292**  
9/16" x 1-1/8"  
SOLID PINE ONLY  
RL - 8'



**PLY CAP:**  
TURNS OUT THE UPPER EDGE OR TOP OF A WAINSCOT. COVERS PLYWOOD'S ROUGH SANDWICH EDGE IN INSTALLATIONS WHERE IT IS EXPOSED TO VIEW. ALSO CALLED A DADO CAP.



LATTICE



**TM 265**  
9/32" x 1-3/4"  
SOLID PINE ONLY  
RL - 8'

**TM 267**  
9/32" x 1-3/8"  
SOLID PINE ONLY  
RL - 8'

**TM 268**  
9/32" x 1-1/8"  
SOLID PINE ONLY  
RL - 8'




**LATTICE:** ORIGINALLY USED IN TRELLIS WORK. THIS SMALL, PLAIN S4S MOULDING IS AMONG THE MOST VERSATILE OF PROFILES.


T-ASTRAGALS



**TM 1305 — 1-3/8"**  
1-1/4" x 2"  
SOLID PINE  
8' ONLY




**TM 1300 EXT KERFED — 1-3/4"**  
1-7/16" x 3"  
SOLID PINE  
7' ONLY



**TM 1310 — 1-3/4"**  
1-1/4" x 2-1/4"  
SOLID PINE ONLY  
8' ONLY

**TM 1315 — 1-3/8"**  
1-1/4" x 2"  
SOLID PINE ONLY  
8' ONLY




**T-ASTRAGALS:** AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.



CHAIR RAIL



**TM 228**  
9/16" x 2"  
SOLID PINE ONLY  
RL - 8'



**CHAIR RAIL:** INTERIOR MOULDING APPLIED ABOUT ONE THIRD UP FROM THE FLOOR, PARALLELING BASE MOULDING AND ENCIRCLING THE ROOM. ORIGINALLY USED TO PREVENT CHAIRS FROM MARRING WALLS. USED TODAY AS A KEY DECORATIVE DETAIL IN TRADITIONAL AND COLONIAL DESIGN.

STOPS



**TM 856**  
3/8" x 1-3/8"  
SOLID PINE RL - 7'




**TM 886**  
SOLID PINE 3/8" x 1-3/8"  
RL - 7'  
FJ 3/8" x 1-3/8"  
7' & 17'  
FJ MITERED 80-5/8" & 96-5/8"



**TM 876**  
7/16" x 1-3/8"  
SOLID PINE ONLY  
RL-7'



**TM 916**  
3/8" x 1-3/8"  
SOLID PINE RL - 7'  
FJ PRIMED 7' - 17'  
FJ PRIMED & MITERED 80-5/8" & 96-5/8"




**STOPS:** IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.

CHAMFER STRIP



**TM 995**  
3/4" x 3/4"  
SOLID WHITE WOOD  
RL

**CHAMFER STRIP:** USED IN HIGHWAY AND DAM CONSTRUCTION FORMS, MAKING A CHAMFERED EDGE AT CONCRETE CORNERS. ALSO USED WHERE KITCHEN CABINET TOPS MEET THE WALL. ALSO USED AS A LINOLEUM COVE (UNDER LINOLEUM WHERE IT EXTENDS UP THE WALL.)



CASING



**TM 311**  
5/8" x 2-1/2"  
SOLID PINE RL - 7'  
FJ 85" & 17'



**TM 312**  
11/16" x 3"  
FJ PRIMED 17' ONLY



**TM 322**  
5/8" x 2-1/2"  
FJ PRIMED 17' ONLY



**TM 328**  
11/16" x 2-1/4"  
SOLID PINE RL - 7'  
FJ PRIMED 85" & 17'



**TM 346**  
5/8" x 2-1/4"  
SOLID PINE RL - 7'  
RAW FJ 85", 14' & 17'  
FJ PRIMED 85", 14' & 17'



**TM 352**  
5/8" x 2-1/2"  
SOLID PINE RL ONLY  
FJ PRIMED 17' ONLY



**TM 356**  
11/16" x 2-1/4"  
SOLID PINE RL - 7'  
FJ 85" & 14'  
FJ PRIMED 85", 14' & 17'



**CASING:** USED TO TRIM  
INSIDE AND OUTSIDE DOOR  
AND WINDOW OPENINGS.



**TM 387**  
5/8" x 2-1/4"  
SOLID PINE RL - 7'  
FJ PRIMED 17' ONLY



**TM 413**  
11/16" x 3-1/4"  
SOLID PINE RL - 90"  
FJ PRIMED 17' ONLY



**TM 433**  
9/16" x 3-1/4"  
SOLID PINE RL ONLY  
FJ PRIMED 16' ONLY



**TM 453**  
11/16" x 2-1/4"  
SOLID PINE RL & 85"  
FJ PRIMED 7' & 17'



**TM 473**  
9/16" x 2-1/4"  
SOLID PINE RL - 7'  
FJ 85" & 14'  
FJ PRIMED 16' ONLY



**TM 715**  
11/16" x 3"  
FJ PRIMED 17' ONLY



**TM 434**  
9/16" x 3-1/4"  
SOLID PINE RL ONLY

BASE MOULDINGS



**TM 444**  
 1 1/16" x 3-1/2"  
 SOLID PINE RL ONLY  
 FJ 16' ONLY  
 FJ PRIMED 17' ONLY



**TM 604**  
 9/16" x 3-1/4"      1/2" x 5-1/4"  
 SOLID PINE RL ONLY      FJ RAW & FJ PRIMED 16' ONLY



**TM 618**  
 9/16" x 5-1/4"  
 SOLID PINE RL ONLY  
 FJ 16' ONLY  
 FJ PRIMED 16' ONLY

**TM 620**  
 9/16" x 4-1/4"  
 FJ PRIMED 16' ONLY

**TM 623**  
 9/16" x 3-1/4"  
 SOLID PINE RL - 8'  
 FJ & FJ PRIMED 16' ONLY

**TM 634**  
 1/2" x 2-1/2"  
 SOLID PINE RL & 8'  
 FJ PRIMED 16' ONLY





**TM 713**  
 9/16" x 3-1/4"  
 FJ PRIMED 16' ONLY  
 SOLID PINE RL & 8'



**TM 725**  
 9/16" x 2-1/2"  
 SOLID PINE RL



**TM 822**  
 9/16" x 3-1/4"  
 FJ PRIMED 16' ONLY



**BASE MOULDINGS:** APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

**TM 530**  
 9/16" x 5-1/4"  
 SOLID PINE  
 RL ONLY  
 1/2" x 5-1/4"  
 FJ & FJ PRIMED  
 16' ONLY

**TM 411**  
 1 1/16" x 3-1/4"  
 SP RL - 87"  
 FJ PRIMED  
 17' ONLY

**TM 414**  
 9/16" x 4-1/4"  
 FJ PRIMED  
 16' ONLY



PINE

BASE MOULDINGS

PINE



**TM 683**  
5/8" x 3-1/4"  
SOLID PINE RL ONLY  
FJ PRIMED 16' ONLY



**TM 684**  
9/16" x 5-1/4"  
FJ PRIMED 16' ONLY



**TM 711**  
9/16" x 3-1/4"  
SOLID PINE RL ONLY  
FJ PRIMED 16' ONLY



**TM 745**  
9/16" x 4-3/4"  
FJ PRIMED 16' ONLY



**TM 775**  
9/16" x 7"  
FJ PRIMED 16' ONLY



**TM 811**  
5/8" x 4-1/2"  
SOLID PINE RL ONLY  
FJ PRIMED 16' ONLY



**TM 852**  
9/16" x 3-1/4"  
SOLID PINE RL ONLY  
FJ PRIMED 16' ONLY



**TM 952**  
9/16" x 4-1/2"  
SOLID PINE RL ONLY  
FJ PRIMED 16' ONLY

OUTSIDE CORNER



**TM 206**  
3/4" x 3/4"  
RL & 8'

QUARTER ROUNDS



**TM 105**  
3/4" x 3/4"  
RL - 8'

STOPS



**TM 886**  
3/8" x 1-1/4"  
RL - 7'



**TM 916**  
3/8" x 1-3/8"  
RL - 7'

COVE



**TM 93**  
3/4" x 3/4"  
RL - 8'

CROWN



**TM 49**  
9/16" x 3-5/8"  
RL ONLY

BASE SHOES



**TM 126**  
1/2" x 3/4"  
RL - 8'

OAK

BASE MOULDINGS



**TM 444**  
7/16" x 3-1/4"  
RL ONLY





**TM 623**  
7/16" x 3-1/4"  
RL ONLY

**TM 634**  
3/8" x 2-3/4"  
RL ONLY



**TM 713**  
7/16" x 3-1/4"  
RL - 8'




**BASE MOULDINGS:** APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

OAK

SHELF EDGE/SCREEN MOULD




**TM 142**  
1/4" x 3/4"  
RL - 8'



**SCREEN MOULD:**  
COVERS SEAM WHERE SCREENING IS FASTENED TO THE SCREEN FRAME.

**SHELF EDGE:**  
ALSO COVERS PARTICLE OR FLAKEBOARD SHELF EDGES.



CASING



**TM 328**  
7/16" x 2-1/4"  
RL - 7'



**TM 433**  
3/8" x 3-1/4"  
RL ONLY



**TM 346**  
9/16" x 2-1/4"  
RL - 7'



**TM 473**  
9/16" x 2-1/4"  
RL & 7'



**TM 356**  
1/2" x 2-1/4"  
RL - 7'

BRICK MOULD




**TM 180**  
1-1/16" x 2"  
RL - 7'

OAK S4S BOARDS

1 x 2	S4S	3/4" x 1-3/4"	RL
1 x 3	S4S	3/4" x 2-1/2"	RL
1 x 4	S4S	3/4" x 3-1/2"	RL
1 x 6	S4S	3/4" x 5-1/2"	RL
1 x 8	S4S	3/4" x 7-1/4"	RL
1 x 12	S4S	3/4" x 11-1/4"	RL



BASE MOULDINGS



**BASE MOULDINGS:** APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.



**TM 620**  
1/2" x 4-1/4"  
16' ONLY



**TM 608**  
5/8" x 5-1/4"  
16' ONLY



**TM 411**  
9/16" x 3-1/4"  
16' ONLY



**TM 412**  
9/16" x 4-1/4"  
16' ONLY



**TM 444**  
5/8 x 3-3/8"  
17' ONLY



**TM 618**  
1/2" x 5-1/4"  
16' ONLY



**TM 623**  
1/2" x 3-1/4"  
16' ONLY



**TM 634**  
1/2" x 2-1/2"  
16' ONLY



BASE MOULDINGS — CONTINUED FROM PAGE 16



**TM 360**  
1/2" x 7-1/4"  
16' ONLY



**TM 430**  
1/2" x 5-1/4"  
16' ONLY



**TM 604**  
1/2" x 3-1/4"  
16' ONLY



**TM 663**  
9/16" x 5-1/4"  
16' ONLY



**TM 363**  
5/8" x 7-1/4"  
16' ONLY



**TM 684**  
9/16" x 5-1/4"  
16' ONLY



**TM 775**  
9/16" x 7"  
16' ONLY



**TM 9290**  
1/2" x 5"  
16' ONLY



**TM 145**  
9/16" x 5"  
16' ONLY

**TM 9291**  
1/2" x 6-1/2"  
16' ONLY

BASE MOULDINGS — CONTINUED FROM PAGE 17



**TM 745**  
9/16" x 4-3/4"  
16' ONLY



**TM 811**  
5/8" x 4-1/2"  
16' ONLY



**TM 852**  
9/16" x 3-1/4"  
16' ONLY




**TM 414D**  
5/8" x 5-1/4"  
16' ONLY




**TM 952**  
9/16" x 4-7/16"  
16' ONLY

STOPS



**TM 916**  
3/8" x 1-3/8"  
7' & 8' MITERED



**TM 886**  
3/8" x 1-3/8"  
7' & 8' MITERED



**CASING:** USED TO TRIM  
INSIDE AND OUTSIDE DOOR  
AND WINDOW OPENINGS.

CASING



**TM 311**  
5/8" x 2-1/2"  
85" & 17'



**TM 346**  
9/16 x 2-1/4"  
85" & 17'



**TM 312**  
5/8 x 3"  
17' ONLY



**TM 352**  
5/8" x 2-1/2"  
85" & 17'

CASING — CONTINUED FROM PAGE 18



**TM 356**  
5/8" x 2-1/4"  
85" & 17'



**TM 413**  
11/16" x 3-1/4"  
85" & 17'



**TM 387**  
5/8" x 2-1/4"  
17' ONLY



**TM 3001**  
11/16" x 3"  
17' ONLY




**TM 411D**  
5/8" x 3-1/4"  
17' ONLY



**TM 715**  
11/16" x 3"  
17' ONLY



**TM 473**  
5/8" x 2-1/4"  
7' & 17'



**TM 5000**  
1-3/16" x 3-3/4"  
16' ONLY



**TM 433**  
1/2" x 3-1/4"  
16' ONLY



**TM 516**  
1-1/2" x 5-1/2"  
12' ONLY



**TM 9091**  
5/8" x 3-1/2"  
17'

CROWN



**TM 45**  
9/16" x 5-1/4"  
16' ONLY



**TM 47**  
9/16" x 4-5/8"  
16' ONLY



**TM 49**  
9/16" x 3-5/8"  
16' ONLY



**TM 441**  
1-3/16" x 5-3/4"  
16' ONLY



**TM 900**  
1-3/16" x 5-1/4"  
16' ONLY

HEADER



**TM PB1**  
1/2" x 1-3/8"  
8' ONLY



**TM 544B**  
7/8 x 3-1/2"  
16' ONLY



**TM 546**  
1 x 5-1/2"  
16' ONLY

SHIPLAP



15MM X 5-1/2"  
15MM X 7-1/4"  
16' ONLY

WINDOW STOOL



TM 1021 A  
11/16" X 7-1/4"  
16' ONLY

MDF BOARDS (MEDIUM DENSITY FIBERBOARD)

16' LENGTHS: E2E

1 x 2	E2E	11/16" X 1-3/4"	PRIMED
1 x 3	E2E	11/16" X 2-1/2"	PRIMED
1 x 4	E2E	11/16" X 3-1/2"	PRIMED
1 x 5	E2E	11/16" X 4-11/16"	PRIMED
1 x 6	E2E	11/16" X 5-1/2"	PRIMED
1 x 8	E2E	11/16" X 7-1/4"	PRIMED
1 x 10	E2E	11/16" X 9-1/4"	PRIMED
1 x 12	E2E	11/16" X 11-1/4"	PRIMED

16' LENGTHS: SQUARE EDGE

1 x 2	SQ	11/16" X 1-3/4"	RAW/PRIMED
1 x 3	SQ	11/16" X 2-3/4"	RAW/PRIMED
1 x 4	SQ	11/16" X 3-1/2"	RAW/PRIMED
1 x 6	SQ	11/16" X 5-1/2"	RAW/PRIMED
1 x 8	SQ	11/16" X 7-1/4"	RAW/PRIMED
1 x 12	SQ	11/16" X 11-1/4"	RAW/PRIMED
1 x 16	SQ	11/16" X 15-1/4"	RAW ONLY

Eased Edge

Square


CASING



BRICK MOULD



PARTING BEAD



S4S BOARDS

**1 x 2**  
3/4" x 1-3/4"  
RL

**1 x 4 (E2E)**  
3/4" x 3-1/2"  
RL

**1 x 6 (E2E)**  
3/4" x 5-1/2"  
RL

**1 x 8 (E2E)**  
3/4" x 7-1/4"  
RL

**1 x 10**  
3/4" x 9-1/4"  
RL

**1 x 12**  
3/4" x 11-1/4"  
RL



BASE MOULDINGS



**TM 623**  
9/16" x 3-1/4"  
RL ONLY

**TM 618**  
9/16" x 5-1/4"  
RL ONLY



**TM 514**  
9/16" x 5-1/4"  
RL ONLY



**TM 530**  
5/8" x 5-1/4"  
RL ONLY

**TM 603**  
5/8" x 5-1/4"  
FJ 16 ONLY



**TM 444**  
11/16" x 3-1/4"  
RL ONLY



**TM 745**  
5/8" x 4-3/4"  
RL ONLY



**TM 811**  
9/16" x 4-1/2"  
KNOTTY ALDER  
RL ONLY



**TM 852**  
9/16" x 3-1/4"  
RL ONLY



**TM 952**  
9/16" x 4-1/2"  
RL ONLY



**BASE MOULDINGS:** APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

QUARTER ROUND



**TM 105**  
3/4" x 3/4"  
RL ONLY

BASE SHOE/BASE CAP




**TM 126**  
1/2" x 3/4"  
RL ONLY




**TM 165**  
5/8" x 1-1/8"  
RL ONLY

T-ASTRAGALS




**TM 1310**  
1-1/4" x 2-1/4"  
8' ONLY



**TM 1315**  
1-1/4" x 2"  
8' ONLY



**TM 1300L EXT KERFED**  
1-1/4" x 3-3/16"  
8' ONLY



**T-ASTRAGALS:** AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.

COVES



**TM 93**  
3/4" x 3/4"  
RL ONLY

CROWN





**TM 47**  
11/16" x 5-3/16"  
RL ONLY



**TM 48**  
11/16" x 4-1/4"  
RL ONLY


STOPS



**Stops:** IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.



**TM 887**  
3/8" x 1-1/4"  
108" ONLY



**TM 916**  
3/8" x 1-1/4"  
108" ONLY



BASE MOULDINGS



**TM 618**  
9/16" x 5-1/4"  
RL ONLY

**TM 623**  
1/2" x 3-1/4"  
RL ONLY

**TM 634**  
1/2" x 2-1/2"  
RL ONLY




**TM 444**  
5/8" x 3-1/4"  
RL ONLY



**TM 430**  
1/2" x 5-1/4"  
RL ONLY

**TM 604**  
1/2" x 3-1/4"  
RL ONLY



**BASE MOULDINGS:** APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

HEMLOCK S4S BOARDS

11/16" x 3-1/2"

11/16" x 5-1/2"

11/16" x 7-1/4"

11/16" x 11-1/4"

POPLAR BOARDS

3/4" x 1-3/4"

3/4" x 3-1/2"

3/4" x 5-1/2"

3/4" x 7-1/4"

3/4" x 11-1/4"



CASINGS



**TM 346**  
5/8" x 2-1/4"  
RL & 7'




**TM 356**  
5/8" x 2-1/4"  
RL & 7'



**TM 433**  
9/16" x 3-1/4"  
RL ONLY




**TM 453**  
11/16" x 2-1/4"  
RL ONLY



**CASING:** USED TO TRIM INSIDE AND OUTSIDE DOOR AND WINDOW OPENINGS.


T-ASTRAGALS



**TM 1315**  
1-1/4" x 2"  
8' ONLY




**TM 1300L EXT KERFED**  
1-7/16" x 3"  
8' ONLY




**T-ASTRAGALS:** AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.

FULL ROUNDS




**TM 233**  
1-1/4"  
8' & RL




**FULL ROUNDS:**  
MOST OFTEN USED AS A CLOSET  
POLE OR ROOM DIVIDER.

HANDRAIL



**TM 231**  
1-1/2" x 1-11/16"  
8' - RL

**TM 1867**  
2" x 1-3/4"  
RL ONLY



**HAND RAIL:**  
USED AS A HAND SUPPORT  
IN A STAIRWELL.




**TM 261DG**  
1-7/16" x 5-1/2"  
RL ONLY

## BRICK MOULD



**TM 180**  
1-1/4" x 2"  
RL, 7' & 8'


**BRICK MOULD:**

USED AS AN EXTERIOR DOOR AND WINDOW CASING. A THICK MOULDING PROVIDES A SURFACE FOR BRICK OR OTHER SIDING TO BUTT AGAINST.

## BASE SHOE



**TM 126**  
1/2" x 3/4"  
RL ONLY

**BASE SHOES:**

APPLIED WHERE BASE MOULDING MEETS FLOOR. PROTECTS BASE FROM DAMAGE. CONCEALS UNEVEN LINES OR CRACKS WHERE BASE MEETS FLOOR.



## STOP



**TM 916**  
3/8" x 1-3/8"  
RL & 7'



**TM 886**  
3/8" x 1-3/8"  
RL & 7'




**STOPS:** IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.

**CORNER BLOCKS BULLSEYE DESIGN**

AVAILABLE IN OAK, PINE, MDF


\* SIZES LISTED ON PRICE PAGES



EASED EDGES

**PLINTH BLOCKS**

AVAILABLE IN OAK, PINE, MDF




**3/4\"/>**

THESE ARE JUST A FEW OF THE PROFILES WE STOCK. WE CAN MATCH ANY MOULDING PROFILE IN THE ABOVE WOODS.


AVAILABLE IN OAK, PINE, MDF, AND ALDER



CHAIR RAIL  
MOULDING



BASEBOARD  
MOULDING



3/4\"/>			
PINE	PRIMED PINE	OAK	MDF
346	346	356	346
356	356	433	356
412	414	444	411
433	433	618	412
444	444	623	430
530	618	634	433
618	620	623	444
623	623	634	604
634	634		608
683	683		618
711	684		620
713	711		623
725	713		634
726	724		663
811	726		683
852	811		684
952	852		711
	952		745
			811
			852
			952

PROFILE DIMENSIONS ARE  
IN CATALOG PAGES

FLAT JAMBS



	OAL	OAL
<b>4-5/8" FLAT JAMBS</b>	<b>82-1/4"</b>	<b>98-1/4"</b>
SOLID PINE	X	
PINE VENEER	X	X
FJ RAW	X	X
FJ PRIMED	X	X
OAK VENEER LBR.	X	X
KNOTTY ALDER	X	X
MDF PRIMED	X	

	OAL	OAL
<b>4-7/8" FLAT JAMBS</b>	<b>82-1/4"</b>	<b>98-1/4"</b>
SOLID PINE		X
PINE VENEER	X	
FJ PRIMED	X	X
OAK VENEER LBR.	X	
KNOTTY ALDER		X
MDF PRIMED	X	

	OAL	OAL
<b>6-5/8" FLAT JAMBS</b>	<b>82-1/4"</b>	<b>98-1/4"</b>
SOLID PINE		X
KNOTTY ALDER	X	X

	OAL
<b>7-1/4" FLAT JAMBS</b>	<b>98-1/4"</b>
SOLID OAK	X

EXTERIOR FRAMES

2-1/8" RAB



	OAL	OAL
<b>4-5/8" EXTERIOR FRAME</b>	<b>82-3/4"</b>	<b>98-3/4"</b>
SOLID PINE KERFED 2-1/8" RAB		X
FJ PRIMED KERFED 2-1/8" RAB	X	X
HEMLOCK KERFED 2-1/8" RAB		X
OAK KERFED 2-1/8" RAB		X
KNOTTY ALDER KERFED 2-1/8" RAB		X

	OAL
<b>4-5/8" FIRE RATED FRAME SET</b>	<b>98-3/4"</b>
FJ PRIMED KERFED 2-1/8" RAB	X

	OAL	OAL
<b>4-7/8" EXTERIOR FRAME</b>	<b>82-3/4"</b>	<b>98-3/4"</b>
FJ PRIMED KERFED 2-1/8" RAB	X	X

EXTERIOR FRAMES

	OAL	OAL
<b>5-1/4" EXTERIOR FRAME</b>	<b>82-3/4"</b>	<b>98-3/4"</b>
SOLID PINE KERFED 2-1/8" RAB		X
FJ PRIMED KERFED 2-1/8" RAB	X	X

	OAL	
<b>6-5/8" FIRE RATED FRAME</b>	<b>98-3/4"</b>	<b>SETS ONLY</b>
FJ-FR PRIMED 2-1/8" RAB	X	

	OAL	OAL	OAL
<b>6-5/8" EXTERIOR FRAME</b>	<b>82-1/2"</b>	<b>82-3/4"</b>	<b>98-3/4"</b>
SOLID PINE KERFED 2-1/8" RAB	X		
FJ PRIMED KERFED 2-1/8" RAB		X	X
HEMLOCK KERFED 2-1/8" RAB	X		
OAK KERFED 2-1/8" RAB			X
KNOTTY ALDER KERFED 2-1/8" RAB			X

	OAL	OAL
<b>6-7/8" EXTERIOR FRAME</b>	<b>82-3/4"</b>	<b>98-3/4"</b>
FJ PRIMED KERFED 2-1/8" RAB		X
KNOTTY ALDER KERFED 2-1/8" RAB	X	

	OAL	OAL	OAL
<b>7-1/4" EXTERIOR FRAME</b>	<b>82-3/4"</b>	<b>98-3/4"</b>	<b>RL</b>
SOLID PINE KERFED 1-3/4" RAB		X	
POPLAR 2-1/8" RAB		X	X
FJ PRIMED KERFED 2-1/8" RAB	X	X	
HEMLOCK KERFED 2-1/8" RAB		X	
OAK KERFED 2-1/8" RAB		X	
KNOTTY ALDER 2-1/8" RAB		X	



## SHELVING

RAW PARTICLE BOARD BNEF SHELVING				
ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
12"				
RPB1296	3/4" x 11-1/4" x 8'	BULL NOSE FILLED (BNEF)	1	80
RPB12120	3/4" x 11-1/4" x 10'	BULL NOSE FILLED (BNEF)	1	80
RPB12144	3/4" x 11-1/4" x 12'	BULL NOSE FILLED (BNEF)	1	80
16"				
RPB1696	3/4" x 15-1/4" x 8"	BULL NOSE FILLED (BNEF)	1	60
RPB16120	3/4" x 15-1/4" x 10"	BULL NOSE FILLED (BNEF)	1	60
RPB16144	3/4" x 15-1/4" x 12"	BULL NOSE FILLED (BNEF)	1	60
24"				
RPB2496	3/4" x 23-1/4" x 8'	BULL NOSE FILLED (BNEF)	1	40
RPB24144	3/4" x 23-1/4" x 12'	BULL NOSE FILLED (BNEF)	1	40

RAW MDF BULL NOSE SHELVING				
ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
12"				
401x1208BN	11/16" x 11-1/4" x 8'	RAW MDF BULL NOSE	1	80
401x1210BN	11/16" x 11-1/4" x 10'	RAW MDF BULL NOSE	1	80
401x1212BN	11/16" x 11-1/4" x 12'	RAW MDF BULL NOSE	1	80
401x1216BN	11/16" x 11-1/4" x 16'	RAW MDF BULL NOSE	1	80
16"				
401x1608BN	11/16" x 15-1/4" x 8"	RAW MDF BULL NOSE	1	60
401x1610BN	11/16" x 15-1/4" x 10"	RAW MDF BULL NOSE	1	60
401x1612BN	11/16" x 15-1/4" x 12"	RAW MDF BULL NOSE	1	60
401x1616BN	11/16" x 15-1/4" x 16"	RAW MDF BULL NOSE	1	60
24"				
401x2408BN	11/16" x 23-1/4" x 8'	RAW MDF BULL NOSE	1	40
401x2410BN	11/16" x 23-1/4" x 10'	RAW MDF BULL NOSE	1	40
401x2412BN	11/16" x 23-1/4" x 12'	RAW MDF BULL NOSE	1	40

## MDF SHEET STOCK

MDF SHEET STOCK				
ITEM NUMBER	SIZE	DESCRIPTION	BUNDLE QTY.	UNIT QTY.
MDF499714	1/4" x 4" 8'	MDF SHEET STOCK	1	96
MDF499712	1/2" x 4" 8'	MDF SHEET STOCK	1	48
MDF499734	3/4" x 4" 8'	MDF SHEET STOCK	1	32

**GRADE** - Wood mouldings are available in two grades. "N Grade" is intended for natural or clear finishes and the exposed face must be of one single piece. "P Grade" is intended for opaque paint finishes or overlays and can be finger jointed and or edge glued.

These grades may have a few minor characteristics such as light checks, small pitch pockets, light torn grain, occasional medium stain or a small amount of medium pitch. A serious combination of these is not admissible in any one piece. The number and extent of characteristics permitted varies as the area of the piece increases or diminishes.

**N-GRADE** (suitable for natural, stain, paint, or enamel finish). On the basis of net 2" face-12' long this grade will admit the following characteristics or their equivalent:

- A. A small spot of torn grain, one foot of medium pitch, light skip in dressing on back, or
- B. One small and one very small pitch pocket, or
- C. One short, tight season check and a light snipe at one end, or
- D. Medium stain in occasional (10%) pieces for one third the area in an otherwise perfect piece.

Characteristics that will not show when piece is laid shall not be given the same consideration as characteristics elsewhere.

**P-GRADE** (paint or overlay grade)

The same quality as N-Grade except stain is no defect. Glue joints (laminated or finger joints) must be precision machined and assembled with tight joints. Patching, filling or plugging is permitted providing a paintable surface results.

#### **LENGTHS**

Random lengths shall be 3 to 20 feet in multiples of one foot. Not over 15% of any one item shall be under 8 feet. When computing the percentage of shorts in casing and stops, pieces 7' in length will be considered long lengths.

Specified lengths of cut to length window and door trim shall be graded as completely usable.

Finger and/or laminated jointed mouldings may be ordered in specified lengths with not over 15% trim backs permitted in any one item.

#### **SPECIFIED LENGTHS**

We reserve the option to charge a 25% premium on 12' or longer lengths of items normally sold on an 8'-16' random tally. This policy applies mostly to Solid Pine, Oak, Hemlock and Poplar mouldings (see moulding policies).

#### **ADHESIVES**

Adhesives used in finger joints or laminations shall meet the dry used adhesive performance requirements of ASTM D-3110-82 (or latest revision) "Standard Specification for Adhesives Used in Non-Structural Glued Lumber Products."

In situations where a Wet-Use adhesive is required, it shall be so specified, acknowledged and invoiced.

**BUNDLING** shall be in accordance with the Standard Wood Moulding and Millwork Producers Association Schedule.

#### **MANUFACTURING TOLERANCES**

Thickness and width + or - 1/32"

#### **DEFINITIONS**

Definitions of characteristics permitted in wood mouldings shall be those of the National Grading Rules for softwood lumber.

#### **SETTLEMENT PROVISIONS**

In determining compliance with purchase specifications and of effecting settlement of invoices between buyers and sellers, each item of a shipment shall be considered as of the grade invoiced if upon re-inspection 95% thereof or more is found to be of said grade or better.

## Green's The Thing

---

At Trimco Millwork, we're not just trying to conserve energy and reduce our own carbon footprint, we're taking green to the next level by offering the finest, environmentally responsible building materials available. We offer a wide range of products that are made from recycled materials or are recyclable, as well as products from manufacturers that support the green initiatives of the organizations you see on this page. We are constantly searching for and adding high quality, green products to our inventory.

## Go Green

---

To make it easier for our customers to find greener building materials we have developed **Go Green**, a selection of products that are easier on the earth through their manufacture, performance or use. Our **Go Green** offerings can help you meet your green product requirements.

## Building Green With Trimco

---

The products listed below are a sample of the **Go Green** products we offer at Trimco Millwork:

### MOULDING

ULTRALITE BOARDS  
PAC-FIT / CAN TRIM - MDF  
KNOTTY ALDER  
FERCHE - OAK  
SIERRA PACIFIC - FRAMES

### DOORS

THERMA TRU - DOORS



For more information about **Go Green** products contact us at



See More Details  
on Our Website

15000 East 39th Ave.  
Aurora, Colorado 80011



 **TRIMCO**  
**M I L L W O R K**

**15000 East 39th Ave.  
Aurora, Colorado 80011**